© 2011 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works.

On the Matter of Classifying Node Connections

Colin J. Armstrong
Curtin University
Perth, Western Australia

Bertrand Russell

18th May 1872 – 2nd February 1970

The Odour of Petroleum

It is easier to see the “Things” than it is to see the “Links” between them

EMOTIONS MAPPED BY NEW GEOGRAPHY

Charts Seek to Portray the
Psychological Currents of
Human Relationships.

New York Times

April 3, 1933

&, there is no value in me explaining networks to you... but

Challenged by the Links – the Relationships

Traditional MAN Directionality

Mutual
Asynchronous - Inwards
Asynchronous - Outwards
Null

***Started with a need to differentiate between a Node's
'Significant' and 'Insignificant' Null Relationships***

And then...

When networking forensic evidence, not only is the traditional MAN system a challenge...

But also the basic definition of networks and hubs within networks...

Something seems to be missing

So...

Back to basics and the drawing board...

Not so Easy, and Not so Simple

Node	Link Type				Nomenclature	Code	Cell Value
	M	Ai	Ao	N			
	8	4	2	1			
1	0	0	0	0	Isolate	0000	0
2	0	0	0	1	oooN	0001	1
3	0	0	1	0	ooA°o	0010	2
4	0	0	1	1	ooA°N	0011	3
5	0	1	0	0	oAi°oo	0100	4
6	0	1	0	1	oAi°oN	0101	5
7	0	1	1	0	oAiA°o	0110	6
8	0	1	1	1	oAiA°N	0111	7
9	1	0	0	0	Mo°oo	1000	8
10	1	0	0	1	Mo°oN	1001	9
11	1	0	1	0	MoA°o	1010	10
12	1	0	1	1	MoA°N	1011	11
13	1	1	0	0	MA'°oo	1100	12
14	1	1	0	1	MA'°oN	1101	13
15	1	1	1	0	MA'A°o	1110	14
16	1	1	1	1	MA'A°N	1111	15

Refined Nomenclature

Facilitates visualisation
of complex networks

Another Step in describing complex Network

From

- Mutual
- Asynchronous - Inwards
- Asynchronous - Outwards
- Null

To

MAN Values Table

Relationship	$\overset{M}{\longleftrightarrow}$	$\overset{A^i}{\longleftarrow}$	$\overset{A^o}{\longrightarrow}$	$\overset{N^s}{\text{---}}$	$\overset{N^i}{\text{---}}$
	16	8	4	2	1

On the Matter of Classifying Node Connections

This phase looks at each node individually to classify it according to the number and type of links it possesses.

Erdos-Renyi Network: A

Erdos-Renyi Network: B

Erdos-Renyi Network: C

But, still falling short...

Nodes	Σ	Erdos-Renyi 1					Σ	Erdos-Renyi 2					Σ	Erdos-Renyi 3				
		M	A ⁱ	A ^o	N ^s	N ⁱ		M	A ⁱ	A ^o	N ^s	N ⁱ		M	A ⁱ	A ^o	N ^s	N ⁱ
		16	8	4	2	1		16	8	4	2	1		16	8	4	2	1
		Node's Link Value						Node's Link Value						Node's Link Value				
1	4			4			8		8				4			4		
2	12		8	4			12		8	4			16	16				
3	20	16		4			24	16	8				12		8	4		
4	8		8				4			4			8		8			
5	20	16		4			28	16	8	4			20	16		4		
6	20	16		4			24	16	8				16	16				
7	2				2		2				2		2				2	
8	4			4			8		8				4			4		
9	4			4			16	16					20	16		4		
10	8		8				4			4			8		8			
11	12		8	4			8		8				12		8	4		
12	4			4			4			4			4			4		
13	8			8			16	16					8		8			
14	0						4			4			16	16				
15	8		8				16	16					8		8			
16	4			4			16	16					4			4		
17	8		8				4			4			16	16				
18	2				2		2				2		2				2	
19	24	16		8			8		8				24	16	8			
20	8		8				16	16					8		8			
21	2				2		2				2		2				2	
22	4			4			16	16					4			4		
23	24	16	8				4			4			12		8	4		
24	8		8				16	16					16	16				
25	8			8			16	16					8		8			

Node	Link Type					Nomenclature	Code	Cell Value
	M	Ai	Ao	Ns	Ni			
	16	8	4	2	1			
1	0	0	0	0	0	Isolate	00000	0
2	0	0	0	0	1	ooooN'	00001	1
3	0	0	0	1	0	oooN'o	00010	2
4	0	0	0	1	1	oooN'N'	00011	3
5	0	0	1	0	0	ooA°oo	00100	4
6	0	0	1	0	1	oooA°oN	00101	5
7	0	0	1	1	0	ooA°N'o	00110	6
8	0	0	1	1	1	ooA°N'N'	00111	7
9	0	1	0	0	0	oA'ooo	01000	8
10	0	1	0	0	1	oA'ooN'	01001	9
11	0	1	0	1	0	oA'oN'o	01010	10
12	0	1	0	1	1	oA'oN'N'	01011	11
13	0	1	1	0	0	oA'A°oo	01100	12
14	0	1	1	0	1	oA'A°oN'	01101	13
15	0	1	1	1	0	oA'A°N'o	01110	14
16	0	1	1	1	1	oA'A°N'N'	01111	15
17	1	0	0	0	0	Moooo	10000	16
18	1	0	0	0	1	MoooN'	10001	17
19	1	0	0	1	0	MooN'o	10010	18
20	1	0	0	1	1	MooN'N'	10011	19
21	1	0	1	0	0	MoA°oo	10100	20
22	1	0	1	0	1	MoA°oN'	10101	21
23	1	0	1	1	0	MoA°N'o	10110	22
24	1	0	1	1	1	MoA°N'N'	10111	23
25	1	1	0	0	0	MA'ooo	11000	24
26	1	1	0	0	1	MA'ooN'	11001	25
27	1	1	0	1	0	MA'oN'o	11010	26
28	1	1	0	1	1	MA'oN'N'	11011	27
29	1	1	1	0	0	MA'A°oo	11100	28
30	1	1	1	0	1	MA'A°oN'	11101	29
31	1	1	1	1	0	MA'A°N'o	11110	30
32	1	1	1	1	1	MA'A°N'N'	11111	31

More Difficult
and much
More Complex

Enhanced Nomenclature

A Node's 32 basic possible patterns of Relationships

Next, managing and signify the ratio of each link type a Node in complex networks might possess

On the Matter of Classifying Node Connections

Colin Armstrong@cbs.curtin.eud.au

Starting to unravel due to the limitations of *my* mathematics knowledge...

Suspect that the devil is in the detail...

What is the significance of a Node classification

$M_2A^i_3A^o_2N^s_2N^i_1$ compared with $M_2A^i_4A^o_4N^s_0N^i_0$

In this example Nodes 1. & 2. vary with 128 links compared with 14 yet possess the same classification nomenclature...

	MAN Extended	M	A ⁱ	A ^o	N ^s	N ⁱ	
	MAN Binary	16	8	4	2	1	
1	Nº of Node Links	25	40	30	20	13	128
	Node Link Proportion	19.53%	31.25%	23.44%	15.63%	10.15%	100.00%
	Proportion Classification	2	3	2	2	1	10
	Node Link Classification	M ₂	A ⁱ ₃	A ^o ₂	N ^s ₂	N ⁱ ₁	65
	Cell Value	32	24	4	4	1	
2	Nº of Node Links	2	7	3	2	0	14
	Node Link Proportion	19.53%	31.25%	23.44%	15.63%	10.15%	100.00%
	Proportion Classification	2	3	2	2	1	10
	Node Link Classification	M ₂	A ⁱ ₃	A ^o ₂	N ^s ₂	N ⁱ ₁	65
	Cell Value	32	24	4	4	1	
3	Nº of Node Links	57	21	33	89	15	215
	Node Link Proportion	26.50%	9.77%	15.35%	41.40%	6.98%	100.00%
	Proportion Classification	3	1	1	4	1	10
	Node Link Classification	M ₃	A ⁱ ₁	A ^o ₁	N ^s ₄	N ⁱ ₁	69
	Cell Value	48	8	4	8	1	
4	Nº of Node Links	193	79	61	5	7	345
	Node Link Proportion	55.94%	22.90%	17.68%	1.45%	2.03%	100.00%
	Proportion Classification	6	2	2	0	0	10
	Node Link Classification	M ₆	A ⁱ ₂	A ^o ₂	N ^s ₀	N ⁱ ₀	120
	Cell Value	96	16	8	0	0	
5	Nº of Node Links	11873	23589	27156	1025	25	63668
	Node Link Proportion	18.65%	37.05%	42.65%	1.61%	0.04%	100.00%
	Proportion Classification	2	4	4	0	0	10
	Node Link Classification	M ₂	A ⁱ ₄	A ^o ₄	N ^s ₀	N ⁱ ₀	80
	Cell Value	32	32	16	0	0	

My question to you is...

*Do you detect a strong
Odour of Petroleum*

Comments & Questions

Colin J. Armstrong
Curtin University
Western Australia

colin.armstrong@cbs.curtin.edu.au