© 2019. This manuscript version is made available under the CC-BY-NC-ND 4.0 license http://creativecommons.org/licenses/by-nc-nd/4.0/

REGULATORY FOCUS, NUTRITION INVOLVEMENT, AND NUTRITION KNOWLEDGE

Abstract

Few studies have examined the antecedents of nutrition involvement. Similarly, conflicting results have been recorded on the relationship between nutrition involvement and knowledge, knowledge and dietary behaviors, and nutrition involvement and dietary behaviors. This paper addresses these research gaps by exploring the role of regulatory focus as an antecedent of nutrition involvement. It also examines the effect of nutrition involvement on nutrition knowledge and the effects of both involvement and knowledge on diet adjustment. A large-scale study with 1125 Taiwanese consumers demonstrates a positive effect of promotion focus and no significant effect of promotion focus, on nutrition involvement, which in turn has positive effects on nutrition knowledge and diet adjustment. Nutrition knowledge also has a positive effect on diet adjustment. The study clarifies these relationships and provides suggestions to policy making.

Keywords: regulatory focus; nutrition involvement; nutrition knowledge; promotion; prevention.

REGULATORY FOCUS, NUTRITION INVOLVEMENT, AND NUTRITION KNOWLEDGE

1. Introduction

Consumer decisions regarding eating behaviors and nutrition lead to consequences such as illness and obesity that have direct public policy implications (Andrews, Netemeyer & Burton, 2009; Chandon & Wansink, 2007). An important construct that can inform the stream of research on food selection/nutrition is the involvement construct (Zaichkowsky, 1985, 1986); more specifically, consumer involvement in nutrition (nutrition involvement). This is so because obesity is preventable and enhancing consumer involvement in nutrition enables achieving this goal. This study examines the effect of nutrition involvement on nutrition knowledge and dietary behaviour as well as the effect of regulatory focus on nutrition involvement.

Whereas a few studies have examined the consequences and moderating effects of nutrition involvement (e.g., Mulders, Corneille, & Klein, 2018), little research has examined its antecedents. This study addresses this gap by examining the effects of regulatory focus on nutrition involvement based on the fundamental motivational differences between promotion and prevention focus (Higgins, 1997). Regulatory focus theory has been employed to examine food intake and nutrition issues (e.g. Sengupta & Zhou, 2007). The theory proposes two types of foci – promotion (pursuit of positive outcomes) and prevention (avoidance of negative outcomes). The present study finds differential effects of promotion and prevention focus on nutrition involvement.

The study also examines the effect of (a) nutrition involvement and (b) nutrition knowledge on diet adjustment following advice. The relationship between nutrition

involvement and food selection and intake is unclear (Chandon & Wansink, 2007;
Moorman, 1990). Similarly, research has recorded a weak association between nutrition knowledge and dietary intake (Sapp & Jensen, 1997). A possible reason for this inconsistent association is that the assessment of nutrition knowledge was not reliable (Parmenter & Wardle, 1999). The current study employs a reliable and valid scale of nutrition knowledge and demonstrates a positive relationship between knowledge and diet adjustment following advice. By documenting the effect of nutrition involvement and nutrition knowledge on diet adjustment following advice, the study makes useful contributions to the realm of nutrition and health policy making.

In sum, this study makes the following contributions to the literature. First, the literature is scarce on the antecedents of consumer's nutrition involvement. Second, it extends the current understanding of the effects of regulatory focus on health and nutritional issues. Third, the study provides empirical clarification on the relationship between (a) nutrition involvement and consumer's knowledge of nutrition, and (b) nutrition involvement and nutrition related behavior, where ambiguous findings have been reported. Finally, by demonstrating the effect of nutrition knowledge on dietary behavior (diet adjustment following advice), the study seeks to clarify the inconsistencies regarding this effect reported earlier and showcases the benefits of enhancing consumer's nutrition involvement and knowledge.

2. Literature review

2.1. Involvement

 Involvement is a person's perception of the relevance of the object based on needs, values, and interests (Zaichkowsky, 1985). For the present study, the behavioral form of

involvement was adopted, following the definition by Stone (1984): "Involvement shall be defined as time and/or intensity of effort expended in the undertaking of behaviours" (p. 210). Zaichkowsy (1986) proposed personal factors (e.g., interest and values), object or stimulus factors (e.g., source/ content of communication) and situational factors (e.g., occasion) as antecedents of involvement. Further to the early studies, little research has examined the antecedents of involvement. Also, given the domain specificity of involvement (a person's involvement with domain X may not be correlated with her involvement with domain Y), it is important to understand the specific factors that lead to nutrition involvement which will inform actionable strategies.

Regarding the consequences of nutrition involvement, Moorman (1990) found that involvement, measured as enduring motivation, enhanced self-assessed ability to process nutritional information, but not comprehension of information. Chandon and Wansink (2007) noted that consumer involvement leads to better calorie estimations.

2.2. Regulatory focus

Regulatory focus theory suggests that two types of foci - promotion and prevention guide people's behaviors (Higgins, 1987, 1997). Individuals with a promotion focus are concerned about the presence or absence of positive outcomes that lead to desired end states, whereas those with a prevention focus are concerned about the absence or presence of negative outcomes. Promotion focus is concerned with people's wishes and aspirations, whereas prevention focus is concerned with their duties and responsibilities. The theory also suggests that the two foci are not always a stable, individual difference variable (Higgins, 1998). Rather, the foci can be situationally induced.

The theory has been employed by scholars studying health and nutrition (Keller, 2006; Sengupta & Zhou, 2007; Karnal et al. 2016). For example, Sengupta and Zhou (2007) showed that impulsive eaters develop a promotion focus when they see food items that are tempting, which in turn drive their choice behavior to consume the hedonically tempting food.

2.3. Consumer knowledge of nutrition

Consumer knowledge refers to information, both conceptual and relational, regarding the domain stored in consumer's memory. Studies have examined consumer knowledge of nutrition. For example, Moorman et al. (2004) found that subjective knowledge of nutrition affects where consumers search and this in turn leads to better quality choices. While some researchers found that nutrition knowledge does not have an effect on food label use (Nayga 2000), Miller and Cassady (2015), in their review, report a positive effect.

Studies have found that nutrition knowledge is correlated with greater weight loss among low-income mothers who are either obese or overweight (Klohe-Lehman et al., 2006). Men have been found to have poorer knowledge of nutrition compared to women, and nutrition knowledge decreases among people with lower education level and those who belong to lower socio-economic classes (Parmenter, Waller & Wardle, 2000). A salient finding from this stream of research is the weak and inconsistent association between nutrition knowledge and (a) dietary intake (Sapp & Jansen, 1997; Perlstein et al. 2017) and (b) nutrition related behaviors in general (Sapp, 1991). A possible reason for this is the unreliable assessment of nutrition knowledge (Parmenter & Wardle, 1999).

3. Hypotheses

3.1. Effect of regulatory focus on nutrition involvement

Promotion and prevention focus serve the purpose of goal pursuit, though the specific strategies employed by individuals with different foci will differ (Lanaj et al., 2012). Both serve the purpose of health pursuit, albeit through approach (e.g. engaging in healthy behaviors) and avoidance (e.g. avoiding unhealthy behaviors) routes (Crowe & Higgins, 1997). Therefore, both foci can be related to nutritional involvement.

Prior research has noted that promotion focused individuals engage in relational processing of information while prevention focused individuals engage in item level processing (Zhu, 2003). Relational elaboration involves "generating a wide range of associations that pertain to the similarities, connections, or relationships among a provided set of items, or to a given item" (Zhu, 2003; p. 4). But item specific elaboration focuses on the specific details of each piece of information (Meyers-Levy, 1991). Consequently, only limited and rather immediate associations are generated (Zhu, 2003).

People often encounter information related to diseases and health conditions resulting from poor dietary habits. Promotion focused individuals, through relational processing, are able to generate a variety of associations using this information, and thereby connect it to the nutrition domain, which enhances saliency of this domain. It also enhances the utilitarian value of nutritional practices, as such practices can prevent diseases. In addition, relational processing enhances the risk probability of poor nutritional choices by highlighting the connection between poor choices and diseases. Following research findings, increased saliency of the domain, greater utilitarian value, and greater risk probability enhances people's nutrition involvement (Kapferer & Laurent, 1993). Hence, promotion focused people are likely to exhibit greater levels of

nutrition involvement. Prevention focused people engage in item level processing, focus on the particularities of the given data and therefore generate only limited associations (Zhu, 2003). When they encounter information related to diseases as well as health conditions, they are unlikely to relate the information to nutrition. Consequently, for prevention focused individuals, nutrition domain is not salient, utilitarian value of nutrition is not brought to the fore, and perceived risk probability of poor nutritional choices is not highlighted. Given the possible association of prevention focus with nutrition involvement discussed earlier (since both serve the purpose of health pursuit), we expect a weak positive effect between prevention focus and nutrition involvement. H1a: Promotion focus will have a positive relationship with consumers' nutrition involvement.

H1b: Prevention focus will have a positive relationship with consumers' nutrition involvement; the effect will be significantly weaker than the effect of promotion focus on nutrition involvement.

3.2. Moderating effects of sex, age, and income

 In this section, we propose the moderating effects of sex, income, and age on the effect of promotion focus on nutrition involvement. No hypotheses are offered regarding the effect of prevention focus on involvement since our expectation, as shown above, is at best a weak positive effect.

3.2.1. Sex: Prior research has recorded that females have greater knowledge of nutrition and healthier habits compared to males (Yahia et al. 2016). von Bothmer and Fridlund (2005), in a study among Swedish university students, found that female (vs. male) students had healthier nutritional habits. Similar results were obtained in a study among

older adults in the United Kingdom (Baker & Wardle, 2003) and athletes in a U. S. university (Dunn, Turner, & Denny, 2007). Studies have also found that females (vs. males) eat more fruits and vegetables (Wardle, Parmenter & Waller, 2000). Therefore, the overwhelming evidence suggests that females have higher levels of nutritional involvement. Hence, the effect of promotional focus on nutritional involvement will be weaker among females compared to males. In other words, females are likely to have nutritional involvement irrespective of promotion focus. But males have lower nutritional involvement and consequently, their involvement levels will be more responsive to their regulatory promotion focus. Hence we propose the following hypothesis:

H2: Sex moderates the effect of promotional focus on nutrition involvement such that the effect is stronger among males, compared to females.

3.2.2. Income: Research has recorded a positive association between income and health (Ecob & Smith, 1999). Low income people experience greater pressure to make ends meet. Hence, they are less able to devote time to issues such as nutrition. It has also been noted that low income consumers use fewer information cues and try to avoid "the cost of thinking" (Shugan, 1980). They are also likely to avoid the cost of searching information (Walsh, Evanschitzky, & Wunderlich, 2008). In addition, they will also not be able to spend extra money on nutritious food. Consequently, even when they are more promotion focused, the effect on nutritional involvement will be weak. Note that low-income consumers experience constraints (time, money) that limit the resources they can devote for nutritional issues; hence we argue this effect. But higher income people have more time and money for issues concerning health. Research has noted that income and education are correlated (Arnould, Plastina, & Ball, 2009) and hence higher income

consumers process information better and are able to reason better, especially when motivated to do so. Therefore, when their promotion focus increases, their nutritional involvement is likely to show greater increase. Hence,

 H3: Income positively moderates the effect of promotion focus on nutritional involvement such that the effect is greater among high (vs. low) income consumers. *3.2.3. Age:* Older consumers are more likely to have health problems and are more concerned about health. Hence, they will be more concerned about nutrition related issues, leading to greater levels of nutritional involvement. This is especially so as older consumers have more free time (East et al., 2000), which enables them to devote attention to nutrition and health issues. This effect will operate irrespective of promotion focus. But younger consumers are less likely to be concerned about nutritional issues, leading to lower levels of nutritional involvement. Promotion focus will likely enhance nutritional involvement among younger consumers. In other words, the effect of promotion focus is likely to manifest more strongly among younger compared to older consumers. Therefore,

H4: Age negatively moderates the relationship between promotion focus and nutritional involvement such that the effect is stronger among younger (vs. older) consumers.

3.3. Effect of nutrition involvement on knowledge of nutrition

As noted earlier, the relationship between nutrition involvement and nutrition knowledge is unclear. Wansink (2005) suggested that consumers high in nutritional involvement are likely to be more knowledgeable about nutritional issues than their low-involvement counterparts are. Moorman (1990) found that nutrition involvement, measured as enduring motivation, does not increase comprehension of nutrition information.

Involvement is associated with (a) more time and effort that are spent on searching the domain (Stone, 1984) and (b) cognitive elaboration and greater processing of relevant information (Celsi & Olson, 1988). Highly involved, compared to uninvolved, consumers are more motivated to form accurate judgements. Therefore, they engage in more intensive search of relevant information (Pillai & Hofacker, 2007). These effects will operate with nutrition involvement thereby resulting in the acquisition of greater amounts of nutritional information by involved consumers. Therefore,

H5: Nutrition involvement is positively related to the level of nutrition knowledge.

3.4. Effect of nutrition knowledge on diet adjustment following advice

The effect of knowledge on the intention to perform the behavior and subsequent behavior has been highlighted by the theory of planned behavior (Ajzen, 1985; Ajzen & Fishbein, 1977). Research has documented the positive effects of diet adjustment and diet modification. For example, it has been shown that diet modification, which implies a move towards greater consumption of natural products, can help prevent cancer (Abdulla & Gruber, 2000) and is critical in managing diabetes (vanWormer & Boucher, 2004). Popular press and mass media constantly highlight the importance of diet modification for better health. Nutrition knowledge enables better understanding and processing of the messages which enables subsequent action. Consumers are also likely to receive several pieces of advice regarding nutrition from multiple sources in their day-to-day lives. Greater levels of nutrition knowledge enhance the processing of such messages, and enables consumers to understand the implications of following such advice. Therefore, greater levels of knowledge will lead to diet adjustment following advice. H6: Greater the level of nutritional knowledge, greater the incidence of diet adjustment following advice.

3.5. *Effect of nutrition involvement on diet adjustment following advice*

As noted earlier, the effect of nutrition involvement on nutrition related behaviors is unclear (Moorman, 1990; Chandon & Wansink 2007). A direct effect of involvement on behavior is true by the definition of involvement. Nutrition involvement enhances the risk importance and risk probability of nutritional domain (Kapferer & Laurent, 1993), which will lead to individuals paying greater attention to advice regarding diet, and being more likely to heed such advice. Hence we propose a direct effect of nutrition involvement on diet adjustment following advice.

H7: Greater the level of nutrition involvement, greater the incidence of diet adjustment following advice.

Hypotheses 5, 6, and 7 propose that nutrition involvement leads to both nutrition knowledge and diet adjustment following advice, while nutrition knowledge leads to diet adjustment. Taken together, the hypotheses propose a partial mediation effect of nutrition knowledge on the relationship between nutrition involvement and diet adjustment. Hence, H8: Nutrition knowledge partially mediates the relationship between nutrition involvement and diet adjustment following advice.

Figure 1 shows the hypothesized model.

Insert figure 1 here

4. Method

 The hypotheses were tested in a national level study conducted in Taiwan. We chose Taiwan as a representative country for the region. The high per capita GDP is comparable

to Hong Kong, Japan and South Korea, while the ethnic similarity with Chinese lead to meaningful extrapolation of the findings to urban China. Dietary habits have been changing in Taiwan. Increases in metabolic syndrome and diabetes were observed from the 1990s to mid 2000s. Positive dietary behaviors were catching up during this period (avoidance of animal fat, more intake of fruits, fish etc.) (Pan et al., 2011). All these trends make Taiwan a useful context for this study by providing insights about nutritionrelated consumer attitudes and behaviors in East Asia.

Data were collected through stratified sampling from all the major geographical regions in Taiwan – North, Middle, South and East in early 2009. Care was taken to ensure that the geographical distribution of the sample corresponded with the census data. The proportion of consumers aged 20-64 from each region in the national population matched with the proportion of consumers from each region in the sample, within a margin of 2%. Trained research assistants undertook the data collection. These research assistants contacted adults from the general population and sought participation in the study. 1176 questionnaires were completed. After rejecting incomplete ones, 1125 usable questionnaires were obtained.

4.1. Measures

 Nutrition knowledge was measured using a 21 item scale developed by the current authors. Prior research has employed diverse methods to measure nutrition and health knowledge. For example, Moorman (1990) employed a ten item scale to measure consumers' health knowledge. Nayga (2000) used an 8 item knowledge scale. In the nutrition science domain too, various scales have been employed and concern has been raised that some of these scales do not meet standards of reliability or construct validity

(Parmenter & Wardle, 1999; Sapp & Jensen, 1997). Attempts have been made to remedy the problem through the development of scales through accepted scale development procedures (Dickson-Spillmann, Siegrist, & Keller, 2011). However, food being culturally rooted, these scales are often based on the more popular food consumed in the countries in which they were developed. Therefore, we sought to develop our own scale suited to the context of study (Taiwan) to measure consumer's nutrition knowledge.

The scale development followed standard psychometric procedure such as (a) initial review of the literature and consultations with dieticians in Taiwan to develop an initial pool of 179 items (b) paring down the number of items to 73 following interviews with dieticians and masters students in food and nutrition regarding accuracy and clarity of construction of the items, and (c) pretest among 60 Taiwanese students in the U.K to understand the difficulty and discrimination of the items. Items with poor discrimination scores were dropped and 21 items were selected.

Nutrition involvement was measured using the five-item scale proposed by Chandon and Wansink (2007) (I pay close attention to nutrition information; Calorie levels influence what I eat; It is important to me that nutrition information is available; I ignore nutrition information (reverse coded); I actively seek out nutrition information). Responses were obtained on a 7 item scale. Promotion and prevention focus were measured using the Regulatory Focus Questionnaire (RFQ) (Higgins et al., 2001). Promotion focus scale comprises six items, while the prevention focus scale comprises five items. Responses were obtained on a 1 to 5 agree-disagree scale.

Diet adjustment following advice was measured by a four item scale, adapted from the cues about the importance of eating a quality diet scale employed by Sapp and

Weng (2007). The items included (1) I have once been affected by mass media presentations to adjust my diet type (2) I have once listened to my doctor's recommendations to adjust my diet type (3) I have once accepted my family member's advice to adjust my diet type and (4) I have once accepted my friend's recommendation to adjust my diet type. Responses were obtained on a yes-no format.

The scales in English were translated to traditional Chinese by three PhD level English-traditional Chinese bilingual researchers in Taiwanese academia who were employed in the health or health psychology fields. Six Masters students studying Chinese literature, with English as their mother tongue, back-translated the questionnaires to English. The versions were compared and required modifications were made, after consultations with the researchers and the Masters students. The translated questionnaire was pretested with 42 consumers from different socio-economic backgrounds to ensure that it works well.

The moderating variables can have direct effects on the three dependent variables. Literature provides unequivocal support only for the direct effect of sex on nutrition involvement, nutrition knowledge and dietary behaviour. In order to account for any potential direct effects and provide a more rigorous test of the proposed hypotheses, we controlled for the effects of sex, income and age on nutrition involvement, nutrition knowledge and diet adjustment following advice.

4.2. Scale reliability and validity

Nutrition involvement scale had reliability (coefficient alpha) of .83. The scale was also found to be unidimensional as 60.2% of the variance was extracted by the first principal

component. The coefficient alpha value of the six item promotion scale was .86, while that of the five item prevention scale was .85.

 The nutrition knowledge scale is a formative scale. Following the recommendations of Diamantopoulos and Winklhofer (2001), we examined indicator collinearity which could potentially lead to item redundancy. This was done through a dummy variable regression analysis, with knowledge as the dependent variable and the individual items as the independent variables. Maximum VIF obtained (1.39) was less than the recommended cut-off value of 10 (Neter, Kutner, Nachtsheim, & Wasserman, 1996). Therefore, no significant redundancy was observed.

Reliability estimates of the knowledge scale and the diet adjustment scale were also obtained using the Proportional Reduction of Loss method (Rust & Cooil, 1994). This method can be used to compute the reliability of formative scales. The measure is evaluated similar to the coefficient alpha, with .7 being the acceptable threshold of reliability. The PRL method gave estimates of .93 for the nutrition knowledge scale and .79 for the diet adjustment scale. These estimates can be considered as very conservative as they are obtained from the table with a maximum number of 20 judges (Rust & Cooil, 1994, p. 7), whereas the sample size for the study is 1125. Note that reliability increases with the number of judges for a given proportion of inter-rater agreement. Overall, both the scales are deemed very reliable.

Confirmatory Factor Analysis (CFA) using maximum likelihood estimation was employed to test the convergent and discriminant validities of the three multi-item constructs. The fit indices indicated that the model had a good fit (χ^2 (101) = 427, p < .001; TLI = .95; CFI = .95; RMSEA = .05). We also computed construct reliabilities

using standardized loadings. Construct reliabilities of nutrition involvement, promotion, and prevention were .83, .86, and .85, all higher than the threshold value of .75 (Bagozzi & Yi, 1988). Average variance extracted and factor loadings were examined to assess convergent validity. AVE values of Nutrition Involvement, Promotion, and Prevention were .50, .51, and .52, all of them being higher than the recommended cut-off value of .5. Factor loadings of all the constructs were statistically significant at .05 level. In addition, indicators load substantively on their respective constructs, as the standardized coefficients are greater than .5. Together, these results indicate convergent validity. We examined discriminant validity by comparing the AVE values with the square of the correlation between the construct and each of the other constructs. Discriminant validity is obtained if the square of the intercorrelation is less than the AVE values of the corresponding constructs (Fornell & Larker, 1981). This was the case for all pairs of constructs, establishing discriminant validity.

 Common method variance is discounted for the study as the responses for the variables were obtained through different operational procedures (Likert scale items for regulatory focus and involvement, multiple choice items for knowledge, yes-no response choices for diet adjustment scale; response items for different income, age, sex groups). This conforms to the recommendation by Podsakoff et al. (2003, p. 888) that the predictor and criterion variables should be measured using different response formats. A Harman's one factor test, run using the three multi-item scales (promotion, prevention, nutrition involvement) yielded 28.2% of variance for the single factor, which is acceptable. A common factor analysis was also run. The regression estimate between the

common factor and each item was .00, denoting an extremely low common variance. Overall, it can be concluded that common method variance is not an issue.

4.3. Descriptive statistics

The sample exhibited a high level of nutrition involvement with a mean of 5.29 ± 1.76 . Promotion (Mean = $3.34 \pm .86$) and prevention (Mean = $3.28 \pm .93$) were just above average. Nutrition knowledge was moderate with a mean of 11 ± 2.91 . Diet adjustment following advice too was above average (Mean = 2.47 ± 1.48). Table 1 provides the descriptive statistics. We compared the distribution of age with the data for Taiwan obtained from U. S. census bureau for 2008 and found that there is a broad correspondence with the national figures on age distribution.

Insert tables 1 and 2 here

4.4. Test of hypotheses

The hypotheses were tested using a structural model. The model obtained an acceptable fit (χ^2 (215) = 612, p < .001; IFI = .95; CFI = .95; RMSEA = .041). The supplementary table shows the parameter estimates. It can be seen that promotion focus is positively related to nutrition involvement but prevention has no relationship with involvement; these results provide support for H1a but not H1b. Sex tended to have a directional negative moderating effect on the effect of promotion on nutrition involvement (p = .052); since males were coded as 1 and females as 2, the directional negative moderating effect is likely to be stronger among males; thus there is some evidence of directional support to H2. The moderating effect of income on the promotion- nutrition involvement relationship is supported; the effect of promotion is

greater among high income people, thus supporting H3. The moderating effect of age is not significant; thus H4 is not supported. Nutrition involvement is found to have a positive effect on nutrition knowledge, supporting H5. As hypothesized by H6, nutrition knowledge has a positive effect on diet adjustment following advice. According to H7, nutrition involvement has a positive effect on diet adjustment following advice. It can be seen that this hypothesis is also supported.

The significance of paths in hypotheses 5, 6, and 7 together seem to indicate a partial mediation effect. In order to provide a more rigorous test for the effect, we conducted the Sobel test (Sobel, 1982). Note that Sobel test is powerful when the sample size is large, as is the case with this study. The test was significant (Test statistic = 3.567; S.E. = .008; p = .00). Therefore, H8 is supported.

It is possible to argue that nutrition knowledge leads to nutrition involvement. To rule out this possibility, we ran another model with nutrition knowledge leading to nutrition involvement and the other constructs remaining the same. It was found that the chi-square value for the second model went up from 612.4 to 651.6. The AIC for the first model was 782.4, whereas the same for the second model was 821.6. This indicates that the specified model is superior to the alternative model.

5. Discussion

Regulatory focus theory, proposes the existence of fundamental motivational differences among people (Higgins, 1997, 1998). The very existence of such differences, and their influence on consumer behaviors, make them very relevant to the study of issues that affects public policy. Not many studies have examined the effects of regulatory focus on

such issues (e.g., Dholakia et al., 2006). The results of this study point to the applicability of regulatory focus theory to the study of diet and nutrition.

 The study found that promotion focus leads to consumer's nutrition involvement. Prevention focus had no effect on nutrition involvement. The former result is in line with theoretical expectations. It is important to note that promotion focused people are ideal focused (pursuing their own goals) whereas prevention focused people are ought focused (pursuing responsibilities). Expectedly, it is the former who are likely to devote attention to their nutrition needs. The higher aspirational levels of promotion focused consumers will lead to greater involvement with nutrition to enhance their well-being. More interesting are the moderating effects of sex and income. Sex tended to have a moderating effect such that the effect is likely to be greater among males (vs. females). The study found that the effect of promotion focus on nutritional involvement is greater among high (vs. low) income consumers.

Both regulatory foci serve the purpose of goal pursuit, albeit through different strategies (Lanaj et al., 2012). Thus, while both promotion and prevention focused individuals will be motivated to maintain good health, the former are more likely to employ approach strategies such as nutritional involvement, while the latter will employ avoidance strategies (e.g., avoiding risky behaviors). The findings of the study indicate that involvement is essentially an approach behavior.

The study found that nutrition involvement leads to nutrition knowledge. While the theory of involvement leads to such an expectation, prior findings have been rather equivocal (e.g., Moorman, 1990). The current study provides useful empirical

clarification regarding this effect. The finding was obtained using a rigorously developed scale, following recommended psychometric procedures, to assess nutrition knowledge.

 The study also contributes to the literature by demonstrating a pertinent behavioral consequence of nutrition knowledge. In this context too, the study provides empirical clarification regarding an important effect where conflicting findings have been recorded (Nayga, 2000; Sapp, 1991; Sapp & Jensen, 1997). However, as noted by previous researchers, knowledge was often measured poorly, using scales comprising only a few items. This study reexamines the effect using a reliable 21 item scale and confirms the effect. In so doing, it provides valuable guidance to public policy efforts in enhancing consumer's nutrition involvement and knowledge.

Finally, the study showed the effect of nutrition involvement on diet adjustment. The relationship between nutrition involvement and food selection is unclear in the literature (Moorman, 1990; Chandon & Wansink 2007). The finding of this study supports the conclusion that nutrition involvement has a positive effect on diet selection. The direct effect of nutrition involvement on diet adjustment is stronger than the indirect effect through nutrition knowledge. This underscores the importance of investing efforts to promote nutrition involvement.

The study employed data collected through a rigorous procedure, which broadly corresponded to the national distribution regarding relevant demographic variables. This is a key strength of the study and adds to the external validity of the findings.

5.1. Theoretical implications and future research

As mentioned earlier, few studies have examined the determinants of nutrition involvement. This is a major contribution of the study and furthers the research agenda in

this direction. Given the problems of obesity and illnesses directly linked to unhealthy
eating habits and the direct effect of nutrition involvement on dietary behaviors
demonstrated in this study, the construct of nutrition involvement merits greater scholarly
attention. Future research can examine the role of other antecedents on nutrition
involvement as well as the boundary conditions of these relationships. Future research
can also examine the boundary conditions of the relationships between (a) nutrition
involvement and nutrition knowledge (b) nutrition knowledge and dietary behavior and
(c) nutrition involvement and dietary behavior that will help develop a more fine-grained
understanding of these effects.

In trying to understand the effect of regulatory focus on nutrition involvement and thereby dietary behaviour, the study complements research in areas such as neuroeconomics that seeks to decipher the mechanism behind nutrition choices (Bruce, Krespi & Lusk 2015; Muller & Prevost 2016). Future research can investigate the neurological bases and neural responses of regulatory foci and the paths through which they influence dietary behavior.

5.2. Managerial implications

Prior research has recorded that regulatory focus can be induced (Roney et al., 1995). Situational factors that can prime a person's aspirations (duties) can induce promotion (prevention) focus. Therefore, in addition to being an individual difference variable, regulatory focus can also be considered as a motivational state (Zhu, 2003). The implication is that public agencies can induce promotional focus through appropriate communication, which should enhance their nutritional involvement. The direct effect of promotion focus on nutritional involvement would call for such a course of action. But,

as the results of this study indicate, the efficacy of this intervention will vary between high and low income groups and is likely to vary between males and females. The demonstrated positive effects of nutrition involvement on nutrition knowledge and dietary adjustment would call for such an intervention.

5.3. Limitations

 The study has some limitations. The hypotheses have been tested using correlational design. Field experiments can further examine the hypothesized relationships. Further research can also replicate the study in western contexts.

To conclude, the study makes useful contributions to the streams of research on regulatory focus, nutrition involvement, and nutrition knowledge. It is hoped that the reported findings will (a) fuel further research and (b) inform public policy formulation.

1	2	3	3
1	2	3	Δ
4	2	0 0	5
1	~	0 0	0
1	Z.	3	0
1	2	3	7
1	2	3	8
1	2	3	9
1	2	4	0
1	2	4	1
1	2	1	2
1	2. 2	т Л	2 2
	2	4	3
1	2	4	4
1	2	4	5
1	2	4	6
1	2	4	7
1	2	4	8
1	2	4	9
1	2	5	0
1	2	5	1
	23	о –	
1	2	b	2
1	2	5	3
1	2	5	4
1	2	5	5
1	2	5	6
1	2	5	7
4	~	5	0
		\neg	0
1	2	-	~
1	2	5	9
1 1 1	2	5 6	9 0
1 1 1	2 2 2 2	5 6 6	9 0 1
1 1 1 1	2: 2: 2: 2: 2: 2:	5 5 6 6 6	9 0 1 2
1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2: 2:	5 5 6 6 6 6	9 0 1 2 3
1 1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2:		9 0 1 2 3 4
1 1 1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2	566666	9 0 1 2 3 4
1 1 1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2	5666666	9 0 1 2 3 4 5 0
1 1 1 1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2	56666666	9 0 1 2 3 4 5 6
1 1 1 1 1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2	56666666666	9 0 1 2 3 4 5 6 7
1 1 1 1 1 1 1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2	566666666666	9 0 1 2 3 4 5 6 7 8
1 1 1 1 1 1 1 1 1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2	5666666666666	90123456789
1 1 1 1 1 1 1 1 1 1 1 1 1 1	2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2: 2	566666666667	901234567890
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 6 6 6 6 6 6 6 7 7	9012345678901
$1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\$		5 5 6 6 6 6 6 6 6 6 7 7 7	90123456789012
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		5 5 6 6 6 6 6 6 6 6 7 7 7 7	901234567890122
		5 5 6 6 6 6 6 6 6 6 7 7 7 7	901234567890123
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	556666666677777	9012345678901234
$ \begin{array}{c} 1 \\ $		566666666777777	90123456789012345
$1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\$		5 5 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 7	901234567890123456
$1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\$		556666666667777777777	9012345678901234567
$1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\$		556666666677777777777777	90123456789012345678
	2:22 21 21 21 21 21 21 21 21 21 21 21 21 2	566666666777777777777777777777777777777	0 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 1 2 3 4 5 5 7 8 9 1 2 3 3 4 5 5 7 8 9 1 2 3 3 4 5 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 2 3
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5666666667777777777	9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 9 1 2 3 4 5 8 1 2 3 4 5 8 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 1 2 3 4 5 1 2 3 4 5 1 2 3 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 3 4 5 7 8 9 0 1 2 3 4 5 5 7 8 9 1 2 3 1 2 1 2
		5566666666677777777788	90123456789012345678901
		55666666666777777777888	0 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 8 9 0 1 2 3 4 5 9 0 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 1 2 3 4 5 7 8 9 0 1 2 3 4 5 5 7 8 9 0 1 2 3 1 2 1 2
$ \begin{array}{c} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\$		56666666667777777778888	901234567890123456789012
$\begin{array}{c} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 $		56666666667777777788888	9012345678901234567890123
		55666666666777777777888888	90123456789012345678901234
		5566666666777777778888888	901234567890123456789012345
		55666666667777777788888888	9012345678901234567890123456

REFERENCES

Abdulla, M., &	Gruber, P. (2000). Role	of diet modification i	n cancer prevention.
Biofactors, 12(2	1-4), 45-51.		

Ajzen, I. (1985). From intentions to actions: A theory of planned behaviour, in J. Kuhl and J. Beckmann (Eds.), *Action-control: From cognition to behaviour*, Heidelberg: Springer, 11-39.

Ajzen, I., & Fishbein, M. (1977). Attitude-behavior relations: A theoretical analysis and review of empirical research. *Psychological Bulletin*, *84*(5), 888.

Andrews, J.C., Netemeyer, R.G., & Burton, S. (2009). The nutrition elite: do only the highest levels of caloric knowledge, obesity knowledge, and motivation matter in processing nutrition ad claims and disclosures?. *Journal of Public Policy & Marketing*, *28*(1), 41-55.

Arnould, E. J., Plastina, A., & Ball, D. (2009). Does fair trade deliver on its core value proposition? Effects on income, educational attainment, and health in three countries. *Journal of Public Policy and Marketing*, *28*(2), 186-201.

Bagozzi, R. P., & Yi, Y. (1988). On the evaluation of structural equation models. *Journal* of the Academy of Marketing Science, 16(Spring), 74-94.

Baker, A. H., & Wardle, J. (2003). Sex differences in fruit and vegetable intake in older adults. *Appetite*, *40*(3), 269-275.

Bruce, A., Crespi, J., & Lusk, J. (2015). The behavioral and neuroeconomics of food and brand decisions: Executive summary. *Journal of Agricultural & Food Industrial Organization*, *13*(1), 1-4.

1289	
1290	
1291	Calci P I & Olson I C (1099) The role of involvement in attention and
1292	Celsi, K. L., & Olson, J. C. (1988). The fole of involvement in auchtion and
1293	comprehension processes lower al of Consumer Descertch 15(2) 210 224
1294	comprehension processes. <i>Journal of Consumer Research</i> , 15(2), 210-224.
1295	Chanden D. & Wengink D. (2007). The bigging health helps of fast food restaurant
1296	Chandon, P., & Wansink, B. (2007). The blashing health halos of fast-food festaurant
1297	handthalainea. I anne a la ria a timeter an dhiahan aida diah a suannatian intentiona
1298	health claims: Lower calorie estimates and higher side-dish consumption intentions.
1299	$L_{\rm example} = \int G \left(\frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) \left(\frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) \left(\frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) \left(\frac{1}{2} + 1$
1300	Journal of Consumer Research, 34(October), 301-314.
1301	
1302	Crowe, E., & Higgins, E. I. (1997). Regulatory focus and strategic inclinations:
1303	
1304	Promotion and prevention in decision-making. Organizational Behavior and Human
1306	
1307	Decision Processes, 69, 117–132.
1308	
1309	Dholakia, U. M., Gopinath, M., Bagozzi, R. P., & Nataraajan, R. (2006). The role of
1310	
1311	regulatory focus in the experience and self-control of desire for temptations. Journal of
1312	
1313	Consumer Psychology, 16(2), 163-175.
1314	
1315	Diamantopoulos, A., & Winklehofer, H. (2001). Index construction with formative
1316	
1317	indicators: an alternative to scale development. Journal of Marketing Research, 37, 269-
1318	
1319	277.
1320	
1321	Dickson-Spillmann, M., Siegrist, M., & Keller, C. (2011). Development and validation of
1322	
1323	a short, consumer-oriented nutrition knowledge questionnaire. Appetite, 56, 617-620.
1324	
1325	Dunn, D., Turner, L. W., & Denny, G. (2007). Nutrition knowledge and attitudes of
1320	
1327	college athletes. The Sport Journal, 10, 4.
1320	
1330	East, R., Hammond, K., Harris, P., & Lomax, W. (2000). First-store loyalty and retention.
1331	
1332	Journal of Marketing Management, 16(4), 307–325.
1333	
1334	Ecob, R., & Smith, G. D. (1999). Income and health: what is the nature of the
1335	
1336	relationship?. Social Science and Medicine, 48(5), 693-705.
1337	1
1338	
1339	
1340	
1341	
1342	24
1343	

1345		
1346		
1347	Formall C & Larakar D C (1081) Evaluating structural equation models with	
1348	Formen, C., & Larcker, D. O. (1981). Evaluating structural equation models with	
1349	unchease while variables and management areas. Journal of Manhating Desearch 19(1)	
1350	unouservable variables and measurement error. Journal of Marketing Research, 16(1),	
1351	20.50	
1352	39-50.	
1353		
1354	Higgins, E. 1. (1987). Self-discrepancy: a theory relating self and affect. <i>Psychological</i>	
1355		
1356	<i>Review</i> , <i>94</i> , 319-340.	
1357		~
1358	Higgins, E. T. (1997). Beyond pleasure and pain. American Psychologist, 52, 1280-1300	0.
1359		
1360	Higgins, E. T. (1998). Promotion and prevention: Regulatory focus as a motivational	
1361		
1302	principle, in M. P. Zanna (ed.) Advances in Experimental Social Psychology, 30, New	
1303		
1365	York: Academic Press, pp. 281-304.	
1366		
1367	Higgins, E. T., Friedman, R. S., Harlow, R. E., Idson, L. C., Ayduk, O. N., & Taylor, A.	•
1368		
1369	(2001). Achievement orientations from subjective histories of success: Promotion pride	
1370		
1371	versus prevention pride. European Journal of Social Psychology, 31, 3-23.	
1372		
1373	Kapferer, JN., & Laurent, G. (1993). Further evidence on the consumer involvement	
1374		
1375	profile: Five antecedents of involvement. <i>Psychology and Marketing</i> , 10(4), 347-355.	
1376		
1377	Karnal, N., Machiels, C. J., Orth, U. R., & Mai, R. (2016). Healthy by design, but only	
1378	,,,,,,, ()	
1379	when in focus. Communicating non-verbal health cues through symbolic meaning in	
1380		
1381	packaging Food Quality and Preference 52 106-119	
1382		
1383	Keller P. A. (2006). Regulatory focus and efficacy of health messages. <i>Journal of</i>	
1384	Rener, 1. 11. (2000). Regulatory rocus and enready of neurin messages. <i>Journal of</i>	
1385	Consumer Research 33(1) 109-114	
1380		
1007	Klohe-Lehman D M Freeland-Graves I Anderson F R McDowell T Clarke K	
1300	Kione Lemman, D. M., Precland Graves, J., Philderson, E. R., Webowen, T., Clarke, R.	
1309	K Hanss Nuss H Cai G Puri D & Milani T I (2006) Nutrition knowledge is	
1391	\mathbf{x} , \mathbf{x}	
1392	associated with greater weight loss in obese and overweight low income mothers	
1393		
1394	Journal of the American Diotetic Association 106(1) 65 75	
1395	Journal of the American Dietetic Association, 100(1), 03-13.	
1396		
1397		
1398		25
1399		

1401	
1402	
1404	Lanaj, K., Chang, CH., & Johnson, R. E. (2012). Regulatory focus and work-related
1405	
1406	outcomes: A review and meta-analysis. <i>Psychological Bulletin</i> , 138(5), 998-1034.
1407	
1408	Meyers-Levy, J. (1991). Elaborating on elaboration: The distinction between relational
1409	
1410	and item-specific elaboration. Journal of Consumer Research, 18(December), 358-367.
1411	Millon I. M. S. & Cassady, D. I. (2015). The offects of systematican beneviladed on faced
1412	Miller, L. M. S., & Cassady, D. L. (2015). The effects of nutrition knowledge on food
1413	label use A review of the literature Annatite 02 207 216
1415	laber use. A review of the interature. Appenne, 92, 207-210.
1416	Moorman C_{1000} The effects of stimulus and consumer characteristics on the
1417	Moorman, C. (1990). The cricers of stimulus and consumer characteristics on the
1418	utilization of nutrition information Journal of Consumer Research 17(December) 362-
1419	unization of nutrition mormation. <i>Sournal of Consumer Research</i> , 17 (December), 302-
1420	374
1421	
1422	Moorman C. Diehl K. Brinberg D. & Kidwell B. (2004). Subjective knowledge
1423	
1424	search locations and consumer choice <i>Journal of Consumer Research</i> 31(3) 673-680
1425	
1427	Mulders, M. D., Corneille, O., & Klein, O. (2018). Label reading, numeracy and food &
1428	
1429	nutrition involvement. Appetite, 128, 214-222.
1430	
1431	Muller, L., & Prevost, M. (2016). What cognitive sciences have to say about the impacts
1432	
1433	of nutritional labelling formats. Journal of Economic Psychology, 55, 17-29.
1434	
1435	Nayga Jr, R. M. (2000). Nutrition knowledge, gender, and food label use. The Journal of
1430	
1437	<i>Consumer Affairs</i> , <i>34</i> (1), 97-112.
1439	
1440	Neter, J., Kutner, M. H., Nachtsheim, C. J., & Wasserman, W. (1996). Applied Linear
1441	
1442	Statistical Methods. Irwin, Chicago.
1443	
1444	Pan, W. H., Wu, H. J., Yeh, C. J., Chuang, S. Y., Chang, H. Y., Yeh, N. H., & Hsieh, Y.
1445	
1446	1. (2011). Diet and health trends in Taiwan: comparison of two nutrition and health
1447	menus from 1002 1006 and 2005 2008 Asia Proific Lower al of Clinical Mutation
1449	surveys nom 1995-1990 and 2005-2008. Asia Pacific Journal of Clinical Nutrition,
1450	20(2) 238 250
1451	20(2), 230-230.
1452	
1453	
1454	26
1455	

1457	
1458	
1459	Dermonter V. Weller I. & Wordle I (2000) Demographic variation in nutrition
1460	Parmenter, K., waller, J., & wardle, J. (2000). Demographic variation in nutrition
1461	
1462	knowledge in England. <i>Health Education Research</i> , 15(2), 163-1/4.
1463	
1464	Parmenter, K., & Wardle, J. (1999). Development of a general nutrition knowledge
1465	
1466	questionnaire for adults. European Journal of Clinical Nutrition, 53, 298-308.
1467	
1468	Perlstein, R., McCoombe, S., Macfarlane, S., Bell, A. C., & Nowson, C. (2017). Nutrition
1469	
1470	Practice and Knowledge of First-Year Medical Students. Journal of Biomedical
1471	
1472	Education 2017 Article ID 5013670 https://doi.org/10.1155/2017/5013670
1473	
1474	Dillai K G & Hafacker C E (2007) Calibration of consumer knowledge of the web
1475	r mai, K. O., & Holacker, C. F. (2007). Canoration of consumer knowledge of the web.
1476	
1477	International Journal of Research in Marketing, 24, 254-267.
1478	
1479	Podsakoff, P. M., MacKenzie, S. B., Lee, JY., & Podsakoff, N. P. (2003). Common
1480	
1481	method biases in behavioural research: a critical review of the literature and
1482	
1483	recommended remedies. Journal of Applied Psychology, 88(5), 879–903.
1484	
1485	Roney, C. J., Higgins, E. T., & Shah, J. (1995). Goals and framing: How outcome focus
1486	
1487	influences motivation and emotion. Personality and Social Psychology Bulletin, 21
1488	
1489	(November) 1151-1160
1490	
1491	Rust R T & Cooil R (1994) Reliability measures for qualitative data: theory and
1492	Rusi, R. T., & Coon, D. (1994). Renability measures for quantative data. theory and
1493	implications laws al of Marketing Descende 21(Echnory) 1 14
1494	implications. Journal of Marketing Research, 51(February), 1–14.
1495	
1496	Sapp, S. G. (1991). Impact of nutritional knowledge within an expanded rational
1497	
1498	expectations model of beef consumption. <i>Journal of Nutrition Education</i> , 23(5), 214-222.
1499	
1500	Sapp, S. G., & Jensen H. H. (1997). Reliability and validity of nutrition knowledge and
1501	
1502	diet-health awareness tests developed from the 1989-1991 diet and health knowledge
1503	
1504	surveys. Journal of Nutrition Education, 29(2), 63-72.
1505	
1506	
1507	
1508	
1509	
1510	27
1511	

1513		
1514		
1515	Sangunta I & Thou B (2007) Understanding impulsive enters' choice hoheviers: The	
1516	Sengupta, J., & Zhou, K. (2007). Understanding impulsive eaters choice behaviors. The	
1517	motivational influences of regulatory focus Journal of Marketing Research 11(2) 207	
1518	motivational minuences of regulatory locus. <i>Journal of Marketing Research</i> , 44(2), 297-	
1519	209	
1520	308.	
1521	Share G M (1000) The sect of this line $I_{\rm eff}$ and G are $R_{\rm eff}$ and $T(2)$ 00	
1522	Shugan, S. M. (1980). The cost of thinking. <i>Journal of Consumer Research</i> , 7(2), 99–	
1523	110	
1524	112.	
1525		
1520	Sobel, M. E. (1982). Asymptotic confidence intervals for indirect effects in structural	
1528		
1520	equation models. Sociological Methodology, 13, 290-312.	
1530		
1531	Stone, R. N. (1984). The marketing characteristics of involvement. <i>North American</i>	
1532		
1533	Advances in Consumer Research, 11, 210-215.	
1534		
1535	van Wormer, J. J., & Boucher, J. L. (2004). Motivational interviewing and diet	
1536		
1537	modification: a review of the evidence. <i>The Diabetes Educator</i> , 30(3), 404-419.	
1538		
1539	von Bothmer, M. I., & Fridlund, B. (2005). Gender differences in health habits and in	
1540		
1541	motivation for a healthy lifestyle among Swedish university students. <i>Nursing and Health</i>	
1542		
1543	<i>Sciences</i> , 7(2), 107-118.	
1544		
1545	Walsh, G., Evanschitzky, H., & Wunderlich, M. (2008). Identification and analysis of	
1540		
1548	moderator variables: investigating the customer satisfaction-loyalty link. European	
1549		
1550	Journal of Marketing, 42(9/10), 977-1004.	
1551		
1552	Wansink, B. (2005). Marketing Nutrition—Soy, Functional foods, Biotechnology, and	
1553		
1554	Obesity. Champaign: University of Illinois Press.	
1555		
1556	Wardle, J., Parmenter, K., & Waller, J. (2000). Nutrition knowledge and food intake.	
1557		
1558	Appetite, 34, 269–275.	
1559		
1560		
1001		
1563		
1564		
1565		
1566	28	
1567	20	

1569	
1570	
1571	
1572	Yahia, N., Brown, C. A., Rapley, M., & Chung, M. (2016). Level of nutrition knowledge
1573	
1574	and its association with fat consumption among college students. BMC Public
1575	
1575	Health 16(1) 1047
1370	
1577	Ziellennelen I.I. (1005) Merenning the investment construct. In multificant
1578	Zaichkowsky, J. L. (1985). Measuring the involvement construct. <i>Journal of Consumer</i>
1579	
1580	<i>Research</i> , <i>12</i> (December), 341-352.
1581	
1582	Zaichkowsky, J. L. (1986). Conceptualizing involvement. <i>Journal of Advertising</i> , 15(2).
1583	
1584	1-11
1585	4-14.
1586	
1587	Zhu, R. (2003). The Influence of Regulatory Focus on Consumers' General Information
1588	
1500	Processing Strategies. PhD Dissertation, University of Minnesota.
1509	
1590	
1591	
1592	
1593	
1594	
1595	
1596	
1597	
1598	
1599	
1600	
1601	
1602	
1602	
1003	
1604	
1605	
1606	
1607	
1608	
1609	
1610	
1611	
1612	
1613	
1614	
1615	
1616	
1617	
1017	
1010	
1619	
1620	
1621	
1622	29
1623	
1624	

Figure 1







Table 1	
Descriptive Sta	tistics
	Mean ± SD
Nutrition involvement	5.29 ± 1.76
Promotion	3.34 ± .86
Prevention	3.28 ± .93
Nutrition knowledge	11 ± 2.91
Diet adjustment following advice	2.47 ± 1.48
	Percentage
Sex (Males)	42.1
Sex (Females)	57.9
Age (20-30)	32.5
Age (31-40)	27.9
Age (41-50)	21.1
Age (51-60)	14
Age (above 60)	4.5
Income (No income)	10.5
Income (Less than NT\$ 17280)	13.2
Income (NT\$ 17281-25000)	21.2
Income (NT\$ 25001-35000)	22.2
Income (NT\$ 35001-45000)	16.9
Income (NT\$ 45001-55000)	11.7
Income (NT\$ 55001-65000)	3.7
Income (Above NT\$ 65000)	.5

Table 2
Correlation Matrix

	N.I.	Promo.	Preven.	N.K.	D.A.
N.I.	1.00				
Promotion	.161**	1.00			
	(.00)				
Prevention	.019	.309**	1.00		
	(.52)	(.00)			
N.K.	.233**	.065*	.009	1.00	
	(.00)	(.03)	(.75)		
D.A.	.215**	.096**	.068*	.171**	1.00
	(.00)	(.00)	(.02)	(.00)	

** significant at < .01 level.

* significant at < .05 level.

() indicates p values.

 N.I - nutrition involvement; N.K. - nutrition knowledge; D.A. - diet adjustment following advice

Supplementary Table

SEM Parameter estimates

	S.P.C	S.E.	C.R.	P value
Promotion -> N.I.	.384	.077	5.002	.00
Prevention -> N.I.	095	.068	-1.394	.163
Prom.XSex -> N.I.	096	.049	-1.946	.052
Prom.XIncome -> N.I.	.145	.048	3.035	.002
Prom.XAge -> N.I.	.002	.050	.046	.963
N.I> N.K.	.457	.062	7.395	.000
N.K> D.A.	.054	.015	3.508	.000
N.I> D.A.	.187	.032	5.819	.000
Sex -> N.I.	.342	.101	3.393	.000
Income -> N.I.	.006	.030	.198	.843
Age -> N.I.	.013	.042	.320	.749
Sex -> N.K.	.693	.171	4.045	.000
Income -> N.K.	.081	.051	1.587	.113
Age -> N.K.	012	.070	174	.861
Sex -> D.A.	.250	.088	2.852	.004
Income -> D.A.	.026	.026	.994	.320
Age -> D.A.	.016	.036	.445	.657

S.P.C - Standardized path coefficient; S.E. - Standard error; C.R. - Critical ratio

N.I - Nutrition involvement; N.K. - Nutrition knowledge; D.A. - Diet adjustment following advice

Supplementary file

Appendix

1	. Which is a safer method for long-term weight-loss?
(1) Surgeries + Slimming products (2) High-protein diets + Slimming products (3) Balanced low cald
	diets + Physical activities (4) Very low calorie diets + Physical activities
2	. Which of the following is classified as acidic pH food?
() Milk (2) Citrus fruits (3) Green leafy vegetables (4) Meat products
3	. Which vitamin is water-soluble?
(1) A (2) B (3) E (4) K
4	. What vitamin can be added to milk to prevent rickets?
(1) A (2) B (3) C (4) D
5	. Which nutrient helps heal wounds and scar tissue?
(1) Vitamin A (2)Vitamin C (3) Zink (4) Calcium
6	. Your friend believes that consuming eggs is not healthy; how would you reply?
(1) Yes, eggs can provide good quality protein. (2) No, eggs contain high-cholesterol. (3) No, it cause
h	eart disease. (4) Eggs can be healthy or unhealthy, depending on the individual's daily diet.
7	. Which statement presents the healthiest way to judge food in daily diets?
(1) To judge from the viewpoint of whether or not that food can reduce the incidence of diseases (2) J
re	ead the nutritional content to decide whether or not the food is good (3) Listen to most people's comm
0	n that food (4) Understand its role in all sorts of balanced meals and understand how foods are paired
W	rith each other
8	. Which of the following oils contains the richness of omega-3 fatty acid?
(1) Olive oil (2) Sun-flower seed oil (3) Fish oil (4) Corn oil
9	. Which food is an alkaline?
(1) Plum (2) Lemon (3) Pork (4) Lamb
1	0. A hamburger meal special (Hamburger, coke, fries, and apple pie) is low in what nutrient?

1906 1907 1908 11. Which is not a good source of calcium? 1909 (1) Fresh milk (2) Yogurt (3) Skimmed milk (4) Butter 1911 12. Which of the following menus contains the least amount of Vitamin C? 1912 13. Which of the following menus contains the least amount of Vitamin C? 1913 (1) One barbecued steak, carrots, noodles and Coke (2) One hot dog, lettuce salad, fries and milk (3) One 1914 13. Vitamin K is found chiefly in: 1917 13. Vitamin K is found chiefly in: 1918 14. Which oil is not conducive to the prevention of cardiovascular diseases? 1922 (1) Peanut oil (2) Coconut oil (3) Soybean oil (4) Sumflower oil 1923 15. Which nutrients are related to the maintenance of a person's basic taste? 1924 15. Which of these is not the main function of protein in human body? 1925 1926 1927 16. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)? 1930 1931 1931 1932 1933
1007 11. Which is not a good source of calcium? 1098 11. Which is not a good source of calcium? 1999 (1) Fresh milk (2) Yogurt (3) Skimmed milk (4) Butter 1911 12. Which of the following menus contains the least amount of Vitamin C? 1911 12. Which of the following menus contains the least amount of Vitamin C? 1912 (1) One barbecued steak, carrots, noodles and Coke (2) One hot dog, lettuce salad, fries and milk (3) One spaghetti with meat and tomato sauce, garlic bread and wine (4) One barbecued steak, broccoli, noodles and green tea 1917 13. Vitamin K is found chiefly in: 1918 13. Vitamin K is found chiefly in: 1919 (1) Leafy green vegetables (2) Beef (3) Oats (4) Skimmed milk 1920 14. Which oil is not conducive to the prevention of cardiovascular diseases? 1922 (1) Peanut oil (2) Coconut oil (3) Soybean oil (4) Sunflower oil 1923 15. Which nutrients are related to the maintenance of a person's basic taste? 1926 (1) Magnesium (2) Chronium (3) Copper (4) Zinc 1927 16. Which of these is not the main function of protein in human body? 1929 (1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4) 1930 Maintains the balance between water and electrolytes 1931
11. Which is not a good source of calcium? 11. Which is not a good source of calcium? 11. Which is not a good source of calcium? 11. Which is not a good source of calcium? 11. Which of the following menus contains the least amount of Vitamin C? 11. Which of the following menus contains the least amount of Vitamin C? 11. Which of the following menus contains the least amount of Vitamin C? 11. Which is not a good searce, garlic bread and wine (4) One barbecued steak, broccoli, noodles 11. Which is not conducive to garlic bread and wine (4) One barbecued steak, broccoli, noodles 11. Which is not conducive to the prevention of cardiovascular diseases? 11. Which oil is not conducive to the prevention of cardiovascular diseases? 11. Which oil is not conducive to the maintenance of a person's basic taste? 11. Which of these is not the main function of protein in human body? 11. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)? 11. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)? 11. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)? 11. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)? 11. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?
1909 (1) Fresh milk (2) Yogurt (3) Skimmed milk (4) Butter 1911 12. Which of the following menus contains the least amount of Vitamin C? 1913 (1) One barbecued steak, carrots, noodles and Coke (2) One hot dog, lettuce salad, fries and milk (3) One 1914 spaghetti with meat and tomato sauce, garlic bread and wine (4) One barbecued steak, broccoli, noodles 1915 and green tea 1917 13. Vitamin K is found chiefly in: 1918 (1) Leafy green vegetables (2) Beef (3) Oats (4) Skimmed milk 1920 14. Which oil is not conducive to the prevention of cardiovascular diseases? 1922 (1) Peanut oil (2) Coconut oil (3) Soybean oil (4) Sunflower oil 1923 15. Which nutrients are related to the maintenance of a person's basic taste? 1924 16. Which of these is not the main function of protein in human body? 1927 16. Which of these is not the main function of protein in human body? 1928 (1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4) 1930 Maintains the balance between water and electrolytes 1931 17. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)? 1933 (1) Age (2) Gender (3) Body weight (4) Have special diseases 1934 <
191112. Which of the following menus contains the least amount of Vitamin C?1912(1) One barbecued steak, carrots, noodles and Coke (2) One hot dog, lettuce salad, fries and milk (3) One1914spaghetti with meat and tomato sauce, garlic bread and wine (4) One barbecued steak, broccoli, noodles1914and green tea191713. Vitamin K is found chiefly in:1918(1) Leafy green vegetables (2) Beef (3) Oats (4) Skimmed milk192014. Which oil is not conducive to the prevention of cardiovascular diseases?192114. Which oil is not conducive to the prevention of cardiovascular diseases?1922(1) Peanut oil (2) Coconut oil (3) Soybean oil (4) Sunflower oil192315. Which nutrients are related to the maintenance of a person's basic taste?1925(1) Magnesium (2) Chromium (3) Copper (4) Zinc192716. Which of these is not the main function of protein in human body?1928(1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4)1930Maintains the balance between water and electrolytes193117. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1936(1) Copper (2) Zinc (3) Iron (4) Magnesium193719. The material that cannot be decomposed by human digestive organs is known as:193819. The material that cannot be decomposed by human digestive organs is known as:1939(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194420. When the body needs energy, which carbohydrates are known as the fastest source of energy? <td< td=""></td<>
1912 1913 1913 1914(1) One barbecued steak, carrots, noodles and Coke (2) One hot dog, lettuce salad, fries and milk (3) One spaghetti with meat and tomato sauce, garlie bread and wine (4) One barbecued steak, broccoli, noodles and green tea1916 1917 13. Vitamin K is found chiefly in: 1918 1919 1919 1919 1919 1919 1919 1919 1919 1912 191413. Vitamin K is found chiefly in: 1918 1919 1919 1919 1919 1919 1919 1919 1919 1919 1919 1910 1911 1912 1921 1922 1922 1924 1924 1924 1924 1924 1924 1924 1924 1924 1924 1924 1924 1924 1924 1924 1924 1924 1925 1926 10. Which nutrients are related to the maintenance of a person's basic taste? 1926 1927 10. Which nutrients are related to the maintenance of a person's basic taste? 1926 10. Magnesium (2) Chromium (3) Copper (4) Zine 1927 10. Which of these is not the main function of protein in human body? 1928 10. Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4) Maintains the balance between water and electrolytes 1931 11. Age (2) Gender (3) Body weight (4) Have special diseases 1933 (1) Age (2) Gender (3) Body weight (4) Have special diseases 1934 1935 18. Vitamin C can help body to absorb what mineral? 10. Copper (2) Zinc (3) Iron (4) Magnesium 1937 1938 19. The material that cannot be decomposed by human digestive organs is known as: 1936 10. Crude fiber (2) Fiber (3) Dietary fiber (4) Residue 20. When the body needs energy, which carbohydrates are known as the fastest source of energy? 1944 20. When the body needs energy, which carbohydrates are known as the fastest source of energy? 1944 1944 21. Which orgun is the best source for calcium intak
1914spaghetti with meat and tomato sauce, garlic bread and wine (4) One barbecued steak, broccoli, noodles1915and green tea191713. Vitamin K is found chiefly in:1918(1) Leafy green vegetables (2) Beef (3) Oats (4) Skimmed milk192014. Which oil is not conducive to the prevention of cardiovascular diseases?192114. Which oil (2) Coconut oil (3) Soybean oil (4) Sunflower oil192315. Which nutrients are related to the maintenance of a person's basic taste?192415. Which nutrients are related to the maintenance of a person's basic taste?1925(1) Magnesium (2) Chromium (3) Copper (4) Zinc192610. Mich of these is not the main function of protein in human body?192716. Which of these is not the main function of protein in human body?1928(1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4)1930Maintains the balance between water and electrolytes193117. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1933(1) Age (2) Gender (3) Body weight (4) Have special diseases193418. Vitamin C can help body to absorb what mineral?1936(1) Copper (2) Zinc (3) Iron (4) Magnesium193719. The material that cannot be decomposed by human digestive organs is known as:1938(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194420. When the body needs energy, which carbohydrates are known as the fastest source of energy?194421. Which group is the best source for calcium intake?<
1915 1916 1917and green tea1917 1918 191713. Vitamin K is found chiefly in: (1) Leafy green vegetables (2) Beef (3) Oats (4) Skimmed milk1920 1921 192114. Which oil is not conducive to the prevention of cardiovascular diseases?1922 1923 1924 1924 1925 1925 1926 1926 1926 1927 10. Which nutrients are related to the maintenance of a person's basic taste? 1925 1926 10. Magnesium (2) Chromium (3) Copper (4) Zinc 1926 1927 10. Which of these is not the main function of protein in human body? 1928 1929 10. Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4) 1930 10. Maintains the balance between water and electrolytes 1931 17. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)? 1933 10. Age (2) Gender (3) Body weight (4) Have special diseases 1934 18. Vitamin C can help body to absorb what mineral? 1936 1937 19. The material that cannot be decomposed by human digestive organs is known as: 10. Crude fiber (2) Fiber (3) Dietary fiber (4) Residue 20. When the body needs energy, which carbohydrates are known as the fastest source of energy? 1944 21. Which organ is the best source for calcium intake?
191713. Vitamin K is found chiefly in:1918(1) Leafy green vegetables (2) Beef (3) Oats (4) Skimmed milk192014. Which oil is not conducive to the prevention of cardiovascular diseases?192114. Which oil is not conducive to the prevention of cardiovascular diseases?1922(1) Peanut oil (2) Coconut oil (3) Soybean oil (4) Sunflower oil192315. Which nutrients are related to the maintenance of a person's basic taste?192415. Which nutrients are related to the maintenance of a person's basic taste?1925(1) Magnesium (2) Chromium (3) Copper (4) Zinc192616. Which of these is not the main function of protein in human body?1928(1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4)1930Maintains the balance between water and electrolytes193117. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1933(1) Age (2) Gender (3) Body weight (4) Have special diseases193419. Age (2) Gender (3) Iron (4) Magnesium193719. The material that cannot be decomposed by human digestive organs is known as:1938(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194420. When the body needs energy, which carbohydrates are known as the fastest source of energy?194421. Which group is the best source for calcium intake?
1916 1919 1919 1919 1919 1921 114. Which oil is not conducive to the prevention of cardiovascular diseases? 1922 11. Peanut oil (2) Coconut oil (3) Soybean oil (4) Sunflower oil 1923 1924 1924 15. Which nutrients are related to the maintenance of a person's basic taste? 1925 11. Magnesium (2) Chromium (3) Copper (4) Zinc 1926 11. Magnesium (2) Chromium (3) Copper (4) Zinc 1927 16. Which of these is not the main function of protein in human body? 1928 1929 10. Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4) Maintains the balance between water and electrolytes 1931 17. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)? (1) Age (2) Gender (3) Body weight (4) Have special diseases 1934 18. Vitamin C can help body to absorb what mineral? 1936 (1) Copper (2) Zinc (3) Iron (4) Magnesium 1937 19. The material that cannot be decomposed by human digestive organs is known as: (1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue 20. When the body needs energy, which carbohydrates are known as the fastest source of energy? (1) Glycogen (2) Fructose (3) Sucrose (4) Glucose (1) Which groun is the best source for calcium intake?
192014. Which oil is not conducive to the prevention of cardiovascular diseases?192114. Which oil is not conducive to the prevention of cardiovascular diseases?1922(1) Peanut oil (2) Coconut oil (3) Soybean oil (4) Sunflower oil192315. Which nutrients are related to the maintenance of a person's basic taste?1925(1) Magnesium (2) Chromium (3) Copper (4) Zinc192616. Which of these is not the main function of protein in human body?1928(1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4)1930Maintains the balance between water and electrolytes193117. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1933(1) Age (2) Gender (3) Body weight (4) Have special diseases193418. Vitamin C can help body to absorb what mineral?193519. The material that cannot be decomposed by human digestive organs is known as:1939(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194120. When the body needs energy, which carbohydrates are known as the fastest source of energy?194421. Which eroup is the best source for calcium intake?
1922 (1) Peanut oil (2) Coconut oil (3) Soybean oil (4) Sunflower oil1923 192415. Which nutrients are related to the maintenance of a person's basic taste?1925 (1) Magnesium (2) Chromium (3) Copper (4) Zinc1926 192716. Which of these is not the main function of protein in human body?1928 (1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4)1930 1931 1932 17. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1933 1934 1935 18. Vitamin C can help body to absorb what mineral?1937 1938 1937 19311939 1940 20. When the body needs energy, which carbohydrates are known as the fastest source of energy?1944 21. Which eroup is the best source for calcium intake?
1923 192415. Which nutrients are related to the maintenance of a person's basic taste?1925 1926 1927 1927 1928 1929 1929 1929 1930 1930 1931 1931 1932 1931 1932 1932 1933 1933 1934 1935 18. Vitamin C can help body to absorb what mineral? 1936 1937 1936 1937 1938 1937 1938 1937 1938 1937 1938 1939 1934 1937 1936 1937 1936 1937 1938 19. The material that cannot be decomposed by human digestive organs is known as: 1939 10. Crude fiber (2) Fiber (3) Dietary fiber (4) Residue 20. When the body needs energy, which carbohydrates are known as the fastest source of energy? 1944 21. Which group is the best source for calcium intake?
1925 1926 1927(1) Magnesium (2) Chromium (3) Copper (4) Zinc1928 1927 1928 192916. Which of these is not the main function of protein in human body?1928 1929 1929 1930 1930 1931 1932 1932 1932 1933 1933 1933 1934 1935 1934 1935 18. Vitamin C can help body to absorb what mineral? 1936 10) Copper (2) Zinc (3) Iron (4) Magnesium 1937 1937 1938 19. The material that cannot be decomposed by human digestive organs is known as: 1939 10) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue 20. When the body needs energy, which carbohydrates are known as the fastest source of energy?1944 194421. Which eroun is the best source for calcium intake?
192616. Which of these is not the main function of protein in human body?1928(1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4)1930Maintains the balance between water and electrolytes193117. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1933(1) Age (2) Gender (3) Body weight (4) Have special diseases193418. Vitamin C can help body to absorb what mineral?1936(1) Copper (2) Zinc (3) Iron (4) Magnesium193719. The material that cannot be decomposed by human digestive organs is known as:1939(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194120. When the body needs energy, which carbohydrates are known as the fastest source of energy?194421. Which group is the best source for calcium intake?
1928 1929(1) Acts as an acid-base equilibrium (2) Provides energy (3) Promotes growth and repairs the tissues (4)1930 1930Maintains the balance between water and electrolytes1931 193217. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1933 1934(1) Age (2) Gender (3) Body weight (4) Have special diseases1934 193518. Vitamin C can help body to absorb what mineral?1936 1937 1937(1) Copper (2) Zinc (3) Iron (4) Magnesium1937 193819. The material that cannot be decomposed by human digestive organs is known as:1939 1940(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue1941 194320. When the body needs energy, which carbohydrates are known as the fastest source of energy?194421. Which group is the best source for calcium intake?
1323Maintains the balance between water and electrolytes193117. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?193217. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1933(1) Age (2) Gender (3) Body weight (4) Have special diseases193418. Vitamin C can help body to absorb what mineral?1936(1) Copper (2) Zinc (3) Iron (4) Magnesium193719. The material that cannot be decomposed by human digestive organs is known as:1939(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194120. When the body needs energy, which carbohydrates are known as the fastest source of energy?1943(1) Glycogen (2) Fructose (3) Sucrose (4) Glucose194421. Which group is the best source for calcium intake?
1931 193217. Which of the following factors is not a criterion taken into account by DRI (Dietary Reference Intake)?1933 1934(1) Age (2) Gender (3) Body weight (4) Have special diseases1934 193518. Vitamin C can help body to absorb what mineral?1936 1937(1) Copper (2) Zinc (3) Iron (4) Magnesium1937 193819. The material that cannot be decomposed by human digestive organs is known as:1939 1940(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue1941 194220. When the body needs energy, which carbohydrates are known as the fastest source of energy?1942 1943(1) Glycogen (2) Fructose (3) Sucrose (4) Glucose194421. Which group is the best source for calcium intake?
1933(1) Age (2) Gender (3) Body weight (4) Have special diseases19341935193518. Vitamin C can help body to absorb what mineral?1936(1) Copper (2) Zinc (3) Iron (4) Magnesium193719. The material that cannot be decomposed by human digestive organs is known as:1939(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194020. When the body needs energy, which carbohydrates are known as the fastest source of energy?1942(1) Glycogen (2) Fructose (3) Sucrose (4) Glucose194421. Which group is the best source for calcium intake?
1934193518. Vitamin C can help body to absorb what mineral?1936(1) Copper (2) Zinc (3) Iron (4) Magnesium193719. The material that cannot be decomposed by human digestive organs is known as:193819. The material that cannot be decomposed by human digestive organs is known as:1939(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194020. When the body needs energy, which carbohydrates are known as the fastest source of energy?1942(1) Glycogen (2) Fructose (3) Sucrose (4) Glucose194421. Which group is the best source for calcium intake?
1936 1937(1) Copper (2) Zinc (3) Iron (4) Magnesium193719. The material that cannot be decomposed by human digestive organs is known as:193819. The material that cannot be decomposed by human digestive organs is known as:1939(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194020. When the body needs energy, which carbohydrates are known as the fastest source of energy?1942(1) Glycogen (2) Fructose (3) Sucrose (4) Glucose194421. Which group is the best source for calcium intake?
1937193819. The material that cannot be decomposed by human digestive organs is known as:1939(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194020. When the body needs energy, which carbohydrates are known as the fastest source of energy?1942(1) Glycogen (2) Fructose (3) Sucrose (4) Glucose194421. Which group is the best source for calcium intake?
1939 1940(1) Crude fiber (2) Fiber (3) Dietary fiber (4) Residue194020. When the body needs energy, which carbohydrates are known as the fastest source of energy?1942 1943(1) Glycogen (2) Fructose (3) Sucrose (4) Glucose194421. Which group is the best source for calcium intake?
1941 20. When the body needs energy, which carbohydrates are known as the fastest source of energy? 1942 (1) Glycogen (2) Fructose (3) Sucrose (4) Glucose 1943 (2) Which group is the best source for calcium intake?
1942 1943 1944 21 Which group is the best source for calcium intake?
1944 21 Which group is the best source for calcium intake?
21. third group is the cest bourde for entertain marke.
19451946(1) Icy milk, butter, cheese (2) Milk, cheese, yoghurt (3) Sardines, spinach, cabbage (4) Chocolate milk,
1947 dried fish, butter
1940 1949
1950
1052
1952